

Superior handling & storage solutions



# Premium line box pallets

		1
Over 1,000,000 in use wor	dwide	
Heavy duty box for rough	applications	
Approved for direct contac	ct with food	
Three integral runners		



P

ΩĮ

Strong. Long Lasting. Reliable.

#### ACE by DOLAU

#### Anti slip corners





Effective drainage

A unique stacking system with interlocking plugs allow safe stacking of up to 5000 Kg.

Built-in 2" drainage ports with caps which are easy to remove \*\*

\*\*Box pallets can be supplied with one or two drainage ports, or without a drainage port.

For fast cooling and

ventilation.

Perforated version




Option of 9 feet

Please ask us about this product.



Certified for UN use (Sweden, France & Israel)





Features & Certifications

Customised to your needs - height, length, width and accessories available

20

Rounded interior radius

Easily cleaned



**Customised products** 

Stackable wheels



Upper door



Opening



Special height SH-440



Special length SL- 2160



Special height SH-1250







### Local stock available

Looking for fast delivery? For unique colours? For box pallet that will serve you for many years?

Dolav has many warehouses in Europe from where we can provide you with the best quality boxes, with local service and support.



#### The Power of the Combination: RFID-IML, The DNA of your Dolavs.

- Easier tracking- Unique ID per Dolav
- Rewritable Data- Write up to 128 bits of data
- Better documentation each tag can have high quality printing of both RFID and Barcode
- RFID-IML is more hygienic and avoids contamination
- Long Lasting- RFID IML tags are an integral part of your Dolav and cannot be removed.
- RFID IML tags will not wash or fall off during use.
- RFID IML is washable and withstand -30°c +100°c
- Can be read from a distance

When you have Dolavs with RFID IML, you have a smarter and efficient stock management system which can help you identify damage in the supply chain and prevent loss.






Sturdy and durable for long life span




6 2 INCLUSION D

Solid, perforated or combination

## **Technical Data**





Compatible with 1000 UNIVERSAL lids



	ACE SOLID - 3 runners	ACE PERFORATED - 3 runners	
External dimensions (LxWxH) mm	1200x1000x740	1200x1000x740	
Internal dimensions (LxWxH) mm	1128x928x585	1128x928x585	
Volume (litre)	605	605	
Tare weight (kg)	38.50	37.50	
Max load (kg)	1000	1000	
Max. stack load (kg)	5000	5000	
Raw material	HDPE Structural Foam		
Temperature range	-40°C up to +60°C		
Quantity in container (units)	20'	40' HC	
	40	106	

Due to deviations in the manufacturing process, tare weight may vary by  $\pm\,1.5\%$ 

Dimensions may vary by  $\pm1\%$ 

Data refers to temperature of 23°C

Maximum stacking load refers to vertical loading when the load per single box pallet does not exceed 750 kg Maximum load refers to stand alone boxes

Also available with combination: solid walls and perforated base or perforated walls and solid base - minimum order quantity applies

Available with 9 feet - for this option please contact us

Sequential

numbering





Embossed logo

## Logo options

The company name, logo and sequential numbers can be hot stamped onto the Dolav for easy identification.



Hot stamped

logo

Tried. Trusted. Best.



Dolav Plastic products, Kibbutz Dvir M.P. HaNegev 8533000

<sup>™</sup> 972-72-2450700 <sup>™</sup> 972-8-9918710 <sup>™</sup> dolav@dolav.com <sup>⊕</sup> www.dolav.com Worldwide offices: Belgium, China, France, Germany, Hong Kong, Ireland, Israel, Italy, Russia, Spain, The Netherlands, UK, USA

